

Massachusetts Department of Environmental Protection
Source Water Assessment and Protection (SWAP) Report
for
Wrentham Water Division

What is SWAP?

The Source Water Assessment and Protection (SWAP) program, established under the federal Safe Drinking Water Act, requires every state to:

- inventory land uses within the recharge areas of all public water supply sources;
- assess the susceptibility of drinking water sources to contamination from these land uses; and
- publicize the results to provide support for improved protection.

Susceptibility and Water Quality

Susceptibility is a measure of a water supply's potential to become contaminated due to land uses and activities within its recharge area.

A source's susceptibility to contamination does *not* imply poor water quality.

Water suppliers protect drinking water by monitoring for more than 100 chemicals, disinfecting, filtering, or treating water supplies, and using source protection measures to ensure that safe water is delivered to the tap.

Actual water quality is best reflected by the results of regular water tests. To learn more about your water quality, refer to your water supplier's annual Consumer Confidence Reports.

Table 1: Public Water System Information

<i>PWS Name</i>	Wrentham Water Division
<i>PWS Address</i>	360 Taunton Street
<i>City/Town</i>	Wrentham, Massachusetts
<i>PWS ID Number</i>	4350000
<i>Local Contact</i>	John Manchester
<i>Phone Number</i>	(508) 384-5477

Introduction

We are all concerned about the quality of the water we drink. Drinking water wells may be threatened by many potential contaminant sources, including storm runoff, road salting, and improper disposal of hazardous materials. Citizens and local officials can work together to better protect these drinking water sources.

Purpose of this report:

This report is a planning tool to support local and state efforts to improve water supply protection. By identifying land uses within water supply protection areas that may be potential sources of contamination, the assessment helps focus protection efforts on appropriate Best Management Practices (BMPs) and drinking water source protection measures.


Refer to Table 3 for Recommendations to address potential sources of contamination. Department of Environmental Protection (DEP) staff are available to provide information about funding and other resources that may be available to your community.

This report includes the following sections:

1. Description of the Water System
2. Land Uses within Protection Areas
3. Source Water Protection Conclusions and Recommendations
4. Appendices

What is a Protection Area?

A well's water supply protection area is the land around the well where protection activities should be focused. Each well has a Zone I protective radius and a Zone II protection area.



Glossary

Aquifer: An underground water-bearing layer of permeable material that will yield water in a usable quantity to a well.

Hydrogeologic Barrier: An underground layer of impermeable material (i.e. clay) that resists penetration by water.

Recharge Area: The surface area that contributes water to a well.

Zone I: The area closest to a well; a 100 to 400 foot radius proportional to the well's pumping rate. This area should be owned or controlled by the water supplier and limited to water supply activities.

Zone II: The primary recharge area for the aquifer. This area is defined by hydrogeologic studies that must be approved by DEP. Refer to the attached map to determine the land within your Zone II.

Section 1: Description of the Water System

Zone II #: 178

Susceptibility: High

Well Names	Source IDs
Franklin Street Well #2	4350000-03G
Franklin Street Well #3	4350000-04G

Zone II #: 179

Susceptibility: High

Well Name	Source ID
Thurston Street Well #4	4350000-02G

The Wrentham Water Division uses three wells to supply drinking water to its customers. Franklin Street Wells #2 and #3 are located to the north of Lake Pearl in one Zone II. The other well, Thurston Street Well #4, is located in a separate Zone II in the eastern part of Wrentham near Rt. 1. Each well has a Zone I of 400 feet. The wells are located in aquifers with high vulnerability to contamination due to the absence of hydrogeologic barriers (i.e. clay) that can prevent contaminant migration. Please refer to the attached map to view the boundaries of the Zone Is and Zone IIs.

All three wells have potassium hydroxide added for corrosion control, and the Thurston Street Well #4 is treated with a disinfectant. For current information on monitoring results and treatment, please contact the Public Water System contact person listed above in Table 1 for a copy of the most recent Consumer Confidence Report. Drinking water monitoring reporting data are also available on the web at <http://www.epa.gov/safewater/ccr1.html>.

Section 2: Land Uses in the Protection Areas

The Zone IIs for Wrentham are predominantly forest and residential with small percentages of commercial, and light industrial, land uses (refer to attached map for details). Land uses and activities that are potential sources of contamination are listed in Table 2, with further detail provided in the Table of Regulated Facilities and Table of Underground Storage Tanks in Appendix B.

Key Land Uses and Protection Issues include:

1. Inappropriate activities in Zone I
2. Residential land uses
3. Transportation corridors
4. Hazardous materials storage and use
5. Oil or hazardous material contamination sites
6. Comprehensive wellhead protection planning

The overall ranking of susceptibility to contamination for the system is high, based on the presence of at least one high threat land use within the water supply protection areas, as seen in Table 2.

1. Inappropriate Activities in Zone Is – The Zone I for each of the wells is a 400 foot radius around the wellhead. Massachusetts drinking water regulations (310 CMR 22.00 Drinking Water) requires public water suppliers to own the Zone I, or control the Zone I through a conservation restriction. Only water

supply activities are allowed in the Zone I. However, many public water supplies were developed prior to the Department's regulations and contain non water supply activities such as homes and public roads. The following non water supply activities occur in the Zone Is of the system wells:

Zone I: Franklin Street Wells #2 and #3 (4350000-03G & 4350000-03G): The Zone Is for the Franklin Street Wells do not meet DEP's Zone I regulations because not all of the area in the Zone Is is owned or controlled by the Town. The Zone Is contain private residences and a portion of Route 140.

Zone I: Thurston Street Well #4 (4350000-02G): The Zone I for the Thurston Street Well complies with all of DEP's Zone I regulations, it is owned by the town of Wrentham and only water supply activities occur there.

Zone I Recommendations:

- ✓ To the extent possible, remove all non water supply activities from the Zone I to comply with DEP's Zone I requirements.
- ✓ Use BMPs for the storage, use, and disposal of hazardous materials such as water supply chemicals and maintenance chemicals.
- ✓ Do not use or store pesticides, fertilizers or road salt within the Zone I.
- ✓ Keep any new non water supply activities out of the Zone I.
- ✓ Educate residents located in the Franklin Street Wells' Zone Is of their potential impacts on the wells.

2. Residential Land Uses – Approximately 30% of the Zone II consists of residential areas. None of the areas have public sewers, and so all use septic systems. If managed improperly, activities associated with residential areas can contribute to drinking water contamination. Common potential sources of contamination include:

- **Septic Systems** – Improper disposal of household hazardous chemicals to septic systems is a potential source of contamination to the groundwater because septic systems lead to the ground. If septic systems fail or are not properly maintained they can be a potential source of microbial contamination.
- **Household Hazardous Materials** - Hazardous materials may include automotive wastes, paints, solvents, pesticides, fertilizers, and other substances. Improper use, storage, and disposal of chemical products

used in homes are potential sources of contamination.


- **Heating Oil Storage** - If managed improperly, Underground and Aboveground Storage Tanks (UST and AST) can be potential sources of contamination due to leaks or spills of the fuel oil they store.
- **Stormwater** – Catch basins transport stormwater from roadways and adjacent properties to the ground. As flowing stormwater travels, it picks up debris and contaminants from streets and lawns. Common potential contaminants include lawn chemicals, pet waste, and contaminants from automotive leaks, maintenance, washing, or accidents.

Benefits of Source Protection

Source Protection helps protect public health and is also good for fiscal fitness:

- Protects drinking water quality at the source
- Reduces monitoring costs through the DEP Waiver Program
- Treatment can be reduced or avoided entirely, saving treatment costs
- Prevents costly contamination clean-up
- Preventing contamination saves costs on water purchases, and expensive new source development

Contact your regional DEP office for more information on Source Protection and the Waiver Program.



Modified from © 2009 The Groundwater Foundation. Illustrated by C. Mansfield, The Groundwater Foundation

Residential Land Use Recommendations:

- ✓ Educate residents on best management practices (BMPs) for protecting water supplies. Distribute the fact sheet “Residents Protect Drinking Water” available in Appendix A and on www.mass.gov/dep/brp/dws/protect.htm, which provides BMPs for common residential issues.
- ✓ Work with planners to control new residential developments in the water supply protection areas.
- ✓ Promote BMPs for stormwater management and pollution controls.

3. Transportation Corridors - Routes 140 and 1A intersect both Zone IIs and Route 495 runs through the southern part of the Zone II for the Franklin Street Wells. Local roads are common throughout the Zone IIs. Roadway construction, maintenance, and typical highway use can all be potential sources of contamination. Accidents can lead to spills of gasoline and other potentially dangerous transported chemicals. Roadways are frequent sites for illegal dumping of hazardous or other potentially harmful wastes. De-icing salt, automotive chemicals and other debris on roads are picked up by stormwater and wash in to catchbasins.

Transportation Corridor Recommendations:

- ✓ Identify stormwater drains and the drainage system along transportation corridors. Wherever possible, ensure that drains discharge stormwater outside of the Zone Is and if possible, outside of the Zone IIs.
- ✓ Work with the Town and State to have catch basins inspected, maintained, and cleaned on a regular schedule. Street sweeping reduces the amount of potential contaminants in runoff.
- ✓ Work with local emergency response teams to ensure that any spills within the Zone II can be effectively contained.
- ✓ If storm drainage maps are available, review the maps with emergency response teams. If maps aren’t yet available, work with town officials to investigate mapping options such as the upcoming Phase II Stormwater Rule requiring some communities to complete stormwater mapping.

What are "BMPs?"

Best Management Practices (BMPs) are measures that are used to protect and improve surface water and groundwater quality. BMPs can be structural, such as oil & grease trap catch basins, nonstructural, such as hazardous waste collection days or managerial, such as employee training on proper disposal procedures.

For More Information

Contact Isabel Collins in DEP's Lakeville Office at (508) 946-2726 for more information and assistance on improving current protection measures.

Copies of this report have been provided to the public water supplier, board of health, and the town.

4. Hazardous Materials Storage and Use –

About five percent of the land area within the Zone II is used for commercial or industrial land uses. Many small businesses and industries use hazardous materials, produce hazardous waste products, and/or store large quantities of hazardous materials in UST/AST. If hazardous materials are improperly stored, used, or disposed, they become potential sources of contamination. Hazardous materials should never be disposed of to a septic system or floor drain leading directly to the ground.

Hazardous Materials Storage and Use Recommendations:

- ✓ Educate local businesses on best management practices for protecting water supplies. Distribute the fact sheet “Businesses Protect Drinking Water” available in Appendix A and on www.mass.gov/dep/brp/dws/protect.htm, which provides BMP's for common business issues.
- ✓ Work with local businesses to register those

(Continued on page 7)

Source Protection Decreases Risk




Figure 2: Risk of contamination decreases as source protection increases. This is true for public water systems of any susceptibility ranking, whether High, Moderate, or Low.

Potential Source of Contamination vs. Actual Contamination

The activities listed in Table 2 are those that typically use, produce, or store contaminants of concern, which, if managed improperly, are potential sources of contamination (PSC).

It is important to understand that a release may never occur from the potential source of contamination provided facilities are using best management practices (BMPs). If BMPs are in place, the actual risk may be lower than the threat ranking identified in Table 2. Many potential sources of contamination are regulated at the federal, state and/or local levels, to further reduce the risk.

Table 2: Land Use in the Protection Areas (Zones I and II)

For more information, refer to Appendix B: Regulated Facilities within the Water Supply Protection Area

Activities	Quantity	Threat*	Zone II #	Potential Source of Contamination
Agricultural				
Nurseries	1	M	178	Fertilizers, pesticides, and other chemicals: leaks, spills, improper handling, or over-application
Commercial				
Gas Stations	3	H	178	Automotive fluids and fuels: spills, leaks, or improper handling or storage
Cemeteries	1	M	179	Over-application of pesticides: leaks, spills, improper handling; historic embalming fluids
Dry Cleaners	2	H	178 & 179	Solvents and wastes: spills, leaks, or improper handling
Funeral Homes	1	L	178	Hazardous chemicals: spills, leaks, or improper handling
Golf Courses	1	M	178	Fertilizers or pesticides: over-application or improper handling
Medical Facilities	2	M	178 & 179	Biological, chemical, and radioactive wastes: spills, leaks, or improper handling or storage (Doctor's Offices)
Repair Shops (Engine, Appliances, Etc.)	1	H	178	Engine fluids, lubricants, and solvents: spills, leaks, or improper handling or storage
Residential				
Fuel Oil Storage (at residences)	many	M	178 & 179	Fuel oil: spills, leaks, or improper handling
Lawn Care / Gardening	many	M	178 & 179	Pesticides: over-application or improper storage and disposal
Septic Systems / Cesspools	many	M	178 & 179	Hazardous chemicals: microbial contaminants, and improper disposal
Miscellaneous				
Composting Facilities	1	L	178	Organic material, animal waste, and runoff: storage and improper handling (DPW)

Table 2 Continued: Land Use in the Protection Areas (Zones I and II)

For more information, refer to Appendix B: Regulated Facilities within the Water Supply Protection Area

Activities	Quantity	Threat*	Zone II #	Potential Source of Contamination
Miscellaneous—Continued				
Fishing/Boating	Few	L	178	Fuel and other chemical spills, microbial contaminants
Landfills and Dumps	1	H	179	Seepage of leachate (Closed and Capped)
Oil or Hazardous Material Sites	7	--	178 (6) 179 (1)	Tier Classified Oil or Hazardous Materials Sites are not ranked due to their site-specific character. Individual sites are identified in Appendix B.
Road And Maintenance Depots	1	M	178	Deicing materials, automotive fluids, fuel storage, and other chemicals: spills, leaks, or improper handling or storage
Schools, Colleges, and Universities	1	M	178	Fuel oil, laboratory, art, photographic, machine shop, and other chemicals: spills, leaks, or improper handling or storage (High School)
Small quantity hazardous waste generators	4	M	178	Hazardous materials and waste: spills, leaks, or improper handling or storage
Very Small Quantity Hazardous Waste Generator	2	L	178	Hazardous materials and waste: spills, leaks, or improper handling or storage
Tire Dumps	1	M	179	Tires: improper handling or management
Transportation Corridors	several	M	178 & 179	Fuels and other hazardous materials: accidental leaks or spills; pesticides: over-application or improper handling
Underground Storage Tanks	3	H	178	Stored materials: spills, leaks, or improper handling
Utility Substation Transformers	2	L	178 & 179	Chemicals and other materials including PCBs: spills, leaks, or improper handling

Notes:

1. When specific potential contaminants are not known, typical potential contaminants or activities for that type of land use are listed. Facilities within the watershed may not contain all of these potential contaminant sources, may contain other potential contaminant sources, or may use Best Management Practices to prevent contaminants from reaching drinking water supplies.
2. For more information on regulated facilities, refer to Appendix B: Regulated Facilities within the Water Supply Protection Area information about these potential sources of contamination.
3. For information about Oil or Hazardous Materials Sites in your protection areas, refer to Appendix C: Tier Classified Oil and/or Hazardous Material Sites.

* **THREAT RANKING** - The rankings (high, moderate or low) represent the relative threat of each land use compared to other PSCs. The ranking of a particular PSC is based on a number of factors, including: the type and quantity of chemicals typically used or generated by the PSC; the characteristics of the contaminants (such as toxicity, environmental fate and transport); and the behavior and mobility of the pollutants in soils and groundwater.

(Continued from page 4)

facilities that are unregistered generators of hazardous waste or waste oil. Partnerships between businesses, water suppliers, and communities enhance successful public drinking water protection practices.

- ✓ Educate local businesses on Massachusetts floor drain requirements. See brochure “Industrial Floor Drains” for more information.

5. Presence of Oil or Hazardous Material Contamination Sites – The Zone IIs contain DEP Tier Classified Oil and/or Hazardous Material Release Sites indicated on the map as Release Tracking Numbers 4-0000181, 4-0000324, 4-0000500, 4-0010634, 4-0014577, 4-0014738, 4-0015175 and 4-0015426. Refer to the attached map and Appendix 3 for more information.

Oil or Hazardous Material Contamination Sites Recommendation:

- ✓ Monitor progress on any ongoing remedial action conducted for the known oil or contamination sites.

6. Protection Planning – Currently, the Town does not have water supply protection controls that meet DEP’s Wellhead Protection regulations 310 CMR 22.21(2). Protection planning protects drinking water by managing the land area that supplies water to a well. A Wellhead Protection Plan coordinates community efforts, identifies protection strategies, establishes a timeframe for implementation, and provides a forum for public participation. There are resources available to help communities develop a plan for protecting drinking water supply wells.

Protection Planning Recommendations:

- ✓ Wrentham’s Aquifer Protection Advisory Committee should develop and implement a Wellhead Protection Plan. Refer them to <http://mass.gov/dep/brp/dws/protect.htm> for a copy of DEP’s guidance, “Developing a Local Wellhead Protection Plan”.
- ✓ Coordinate efforts with local officials to compare local wellhead protection controls with current MA Wellhead Protection Regulations 310 CMR 22.21 (2). If there are no local controls or they do not meet the current regulations, adopt controls that meet 310 CMR 22.21(2). For more information on DEP

Top 5 Reasons to Develop a Local Wellhead Protection Plan

- ➊ Reduces Risk to Human Health
- ➋ Cost Effective! Reduces or Eliminates Costs Associated With:
 - ◆ Increased groundwater monitoring and treatment
 - ◆ Water supply clean up and remediation
 - ◆ Replacing a water supply
 - ◆ Purchasing water
- ➌ Supports municipal bylaws, making them less likely to be challenged
- ➍ Ensures clean drinking water supplies for future generations
- ➎ Enhances real estate values – clean drinking water is a local amenity. A community known for its great drinking water in a place people want to live and businesses want to locate.



- land use controls see <http://mass.gov/dep/brp/dws/protect.htm>.
- ✓ If local controls do not regulate floor drains, be sure to include floor drain controls that meet 310 CMR 22.21(2).
- ✓ Work with town boards to review and provide recommendations on proposed development within your water supply protection areas. To obtain information on build-out analyses for the town, see the Executive Office of Environmental Affairs' community preservation web site, <http://commpres.env.state.ma.us/>.

Other land uses and activities within the Zone II include dry cleaners, repair shops, gas stations, a golf course and a school. Refer to Table 2 for more information about these land uses.

Identifying potential sources of contamination is an important initial step in protecting your drinking water sources. Further local investigation by the water supplier and the Aquifer Protection Advisory Committee will provide more in-depth information and may identify new land uses and activities that are potential sources of contamination. Once potential sources of contamination are identified, specific best management practices (BMPs) should be used to better protect your water supply.

Table 3: Current Protection and Recommendations

Protection Measures	Status	Recommendations
Zone I		
Does the Public Water Supplier (PWS) own or control the entire Zone I?	NO	Educate homeowners in Franklin Street Wells Zone Is on source protection. Also, remove Route 140 stormwater flows from Zone Is.
Is the Zone I posted with “Public Drinking Water Supply” Signs?	YES	Additional economical signs are available from the Northeast Rural Water Association (802) 660-4988.
Is Zone I regularly inspected?	YES	Continue daily inspections of drinking water protection areas.
Are water supply-related activities the only activities within the Zone I?	NO	Continue to monitoring non-water supply activities in Zone Is.
Municipal Controls (Zoning Bylaws, Health Regulations, and General Bylaws)		
Does the municipality have Wellhead Protection Controls that meet 310 CMR 22.21(2)?	YES	The Town “Aquifer Protection District” bylaw meets DEP’s best efforts for wellhead protection. Refer to www.state.ma.us/dep/brp/dws/ for model bylaws and health regulations, and current regulations.
Do neighboring communities protect the Zone II areas extending into their communities?		Work with neighboring municipalities to include Zone IIs in their wellhead protection controls.
Planning		
Does the PWS have a Wellhead Protection Plan?	NO	Develop a wellhead protection plan. Follow “Developing a Local Wellhead Protection Plan” available at: www.state.ma.us/dep/brp/dws/ .
Does the PWS have a formal “Emergency Response Plan” to deal with spills or other emergencies?	YES	Update plan regularly, coordinate emergency response plan with fire department, Board of Health, DPW, and local and state emergency officials. Participate emergency response drills with local teams.
Does the municipality have a wellhead protection committee?	YES	Use the Aquifer Protection Advisory Committee to develop a Wellhead Protection Plan.
Does the Board of Health conduct inspections of commercial and industrial activities?	YES	For more guidance see “Hazardous Materials Management: A Community’s Guide” at www.state.ma.us/dep/brp/dws/files/hazmat.doc
Does the PWS provide wellhead protection education?	YES	Aim additional efforts at commercial, industrial and municipal uses within the Zone II.

Section 3: Source Water Protection Conclusions and Recommendations

Current Land Uses and Source Protection:

As with many water supply protection areas, Wrentham's Zone IIs contain potential sources of contamination. However, source protection measures reduce the risk of actual contamination, as illustrated in Figure 2. The water supplier is commended for taking an active role in promoting source protection measures in the Water Supply Protection Areas through:

- Support and participation in the Aquifer Protection Advisory Committee.
- Providing wellhead protection education.
- Adoption of the local bylaws and health regulations required to meet DEP's Wellhead Protection Controls, 310 CMR 22.21(2).

Source Protection Recommendations:

To better protect the sources for the future:

- ✓ Develop and implement a Wellhead Protection Plan.
- ✓ Monitor progress on any ongoing remedial action conducted for the known oil or contamination sites.
- ✓ Continue to educate residents on ways they can help you to protect drinking water sources.
- ✓ Continue to work with emergency response teams to ensure that they are aware of the stormwater drainage in your Zone II and to cooperate on responding to spills or accidents.
- ✓ Partner with local businesses to ensure the proper storage, handling, and disposal of hazardous materials.

Conclusions:

These recommendations are only part of your ongoing local drinking water source protection. Additional source protection recommendations are listed in Table 3, the Key Issues above and Appendix A.

DEP staff, informational documents, and resources are available to help you build on this SWAP report as you continue to improve drinking water protection in your community. The Department's Wellhead Protection Grant Program and Source Protection Grant Program provide funds to assist public water suppliers in addressing water supply source protection through local projects. Protection recommendations discussed in this document may be eligible for funding under the Grant Program. Please note: each spring DEP posts a new Request for Response for the grant program (RFR).

Other grants and loans are available through the Drinking Water State Revolving Loan Fund, the Clean Water State Revolving Fund, and other sources. For more information on grants and loans, visit the Bureau of Resource Protection's Municipal Services web site at: <http://mass.gov/dep/brp/mf/mfpubs.htm>.

The assessment and protection recommendations in this SWAP report are provided as a tool to encourage community discussion, support ongoing source protection efforts, and help set local drinking water protection priorities. Citizens and community officials should use this SWAP report to spur discussion of local drinking water protection measures. The water supplier should supplement this SWAP report with local information on potential sources of contamination and land uses. Local information should be maintained and updated periodically to reflect land use changes in the Zone II. Use this information to set priorities, target inspections, focus education efforts, and to develop a long-term drinking water source protection plan.

What is a Zone III?

A Zone III (the secondary recharge area) is the land beyond the Zone II from which surface and ground water drain to the Zone II and is often coincident with a watershed boundary.

The Zone III is defined as a secondary recharge area for one or both of the following reasons:

1. The low permeability of underground water bearing materials in this area significantly reduces the rate of groundwater and potential contaminant flow into the Zone II.
2. The groundwater in this area discharges to a surface water feature such as a river, rather than discharging directly into the aquifer.

The land uses within the Zone III are assessed only for sources that are shown to be groundwater under the direct influence of surface water.

Additional Documents:

To help with source protection efforts, more information is available by request or online at mass.gov/dep/brp/dws including:

1. Water Supply Protection Guidance Materials such as model regulations, Best Management Practice information, and general water supply protection information.
2. MA DEP SWAP Strategy
3. Land Use Pollution Potential Matrix
4. Draft Land/Associated Contaminants Matrix

Section 4: Appendices

- A. Regulated Facilities within the Water Supply Protection Area
- B. Table of Tier Classified Oil and/or Hazardous Material Sites within the Water Supply Protection Areas
- C. Additional Documents on Source Protection

APPENDIX A: REGULATED FACILITIES WITHIN THE WATER SUPPLY PROTECTION AREA

Fac#	Facility Name	Street	Town	RO#	Old Sys ID	Phone	Type	Class	SWAP Description
35372	DIPLACIDO CORP THOMAS W	20 INDUSTRIAL RD	WRENTHAM	158971	MAD981892672	(508) 384-2030	HANDLR	VSQG	Very Small Quantity Generator of Haz Waste
131277	ANDERSON GREENWOOD CROSBY	43 KENDRICK ST	WRENTHAM	635	MAG250431	(508) 384-3121	SURFAC	SUROTH	Surface Water Discharge
				54536	1200403	(508) 384-3121	PLANT	BM1000	Air Quality Permit
	ANDERSON GREENWOOD & CROSBY			26310	MAD001012673	(508) 384-3121	HANDLR	SQG	Small Quantity Generator of Haz Waste
131279	KING PHILLIP REGIONAL HIGH SCHOOL	201 FRANKLIN ST	WRENTHAM	34955	MAD981886021	(508) 384-3144	HANDLR	VSQG	Very Small Quantity Generator of Haz Waste
	KING PHILIP REGIONAL HIGH SCHOOL			54662	1200794	(508) 384-1010	PLANT	BM1000	Air Quality Permit
131282	WRENTHAM STEEL PRODUCTS WRENTHAM STEEL PROD WRENTHAM STEEL PRODUCTS CO INC	34 KENDRICK ST	WRENTHAM	215242	MAD001410935	(508) 384-2166	HANDLR	SQG	Small Quantity Generator of Haz Waste
				54760	1200915	(508) 384-2166	PLANT	BM150	Air Quality Permit
				1109	0833		SURFAC	SUROTH	Surface Water Discharge
132412	WRENTHAM REGIONAL SERVICE CENTER INC	1 DEPOT ST	WRENTHAM	126654	MF0007956	(508) 384-3221	FULDSP	FULDSP	Fuel Dispenser
	WRENTHAM REGIONAL SERVICE CENTER			35634	MAD981896525	(508) 384-3221	HANDLR	VSQG	Very Small Quantity Generator of Haz Waste
209166	WAMPUM CORNER AUTO SERVICE INC	650 SOUTH ST	WRENTHAM	209167	MF0010618	(508) 660-1118	FULDSP	FULDSP	Fuel Dispenser
211035	POND HOME NURSING HOME	289 EAST ST	WRENTHAM	311509	0658		GROUND	GROMAJ	Groundwater Discharge
336362	MINSK ENTERPRISES LTD INC	141 FRANKLIN ST	WRENTHAM	336363	MAD066587338		HANDLR	VSQG	Very Small Quantity Generator of Haz Waste
340343	LARRY BROOKS SEPTIC INC	444 DEDHAM ST	WRENTHAM	340344	00100398	(508) 384-6000	DISCH	MWR-SC	MWRA Sewer Connection
361318	WRENTHAM DPW	360 TAUNTON ST	WRENTHAM	361319		(508) 384-5477	FULDSP	FULDSP	Fuel Dispenser
368111	EXXONMOBIL OIL CORP MOBIL 11723	165 SOUTH ST	WRENTHAM	372214	MAD985297027	(303) 986-8011	HANDLR	VSQG	Very Small Quantity Generator of Haz Waste
				368112		(508) 384-8040	FULDSP	FULDSP	Fuel Dispenser
368113	MOBIL 18507	1001 SOUTH ST	WRENTHAM	368114		(508) 384-5390	FULDSP	FULDSP	Fuel Dispenser

APPENDIX B – Table of Tier Classified Oil and/or Hazardous Material Sites within the Water Supply Protection Areas

DEP’s datalayer depicting oil and/or hazardous material (OHM) sites is a statewide point data set that contains the approximate location of known sources of contamination that have been both reported and classified under Chapter 21E of the Massachusetts General Laws. Location types presented in the layer include the approximate center of the site, the center of the building on the property where the release occurred, the source of contamination, or the location of an on-site monitoring well. Although this assessment identifies OHM sites near the source of your drinking water, the risks to the source posed by each site may be different. The kind of contaminant and the local geology may have an effect on whether the site poses an actual or potential threat to the source.

The DEP’s Chapter 21E program relies on licensed site professionals (LSPs) to oversee cleanups at most sites, while the DEP’s Bureau of Waste Site Cleanup (BWSC) program retains oversight at the most serious sites. This privatized program obliges potentially responsible parties and LSPs to comply with DEP regulations (the Massachusetts Contingency Plan – MCP), which require that sites within drinking water source protection areas be cleaned up to drinking water standards.

For more information about the state’s OHM site cleanup process to which these sites are subject and how this complements the drinking water protection program, please visit the BWSC web page at <http://www.state.ma.us/dep/bwsc>. You may obtain site -specific information two ways: by using the BWSC Searchable Sites database at <http://www.state.ma.us/dep/bwsc/sitelist.htm>, or you may visit the DEP regional office and review the site file. These files contain more detailed information, including cleanup status, site history, contamination levels, maps, correspondence and investigation reports, however you must call the regional office in order to schedule an appointment to view the file.

The table below contains the list of Tier Classified oil and/or Hazardous Material Release Sites that are located within your drinking water source protection area.

Table 1: Bureau of Waste Site Cleanup Tier Classified Oil and/or Hazardous Material Release Sites (Chapter 21E Sites) - Listed by Release Tracking Number (RTN)

RTN	Release Site Address	Town	Contaminant Type
4-0000181	775 SOUTH ST	WRENTHAM	
4-0000324	485 EAST ST	WRENTHAM	Oil
4-0000500	185 SOUTH STREET	WRENTHAM	Oil
4-0010634	4 WEST ST	WRENTHAM	Oil
4-0014577	43 KENDRICK ST	WRENTHAM	Hazardous Material
4-0014738	60 EAST ST	WRENTHAM	Oil
4-0015175	650 SOUTH ST	WRENTHAM	Oil and Hazardous Material
4-0015426	825 WASHINGTON ST	WRENTHAM	Oil

For more location information, please see the attached map. The map lists the release sites by RTN.